

	Type	Hits	Search Text	DBs
1	IS&R	4	(( "3,581,164" ) or ( "56042381" ) ).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	IS&R	2	( "5880516" ).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	IS&R	169	(257/596,597).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	IS&R	0	( "3and@ad<20000609" ).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	BRS	107	S3 and @ad<"20000609"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	BRS	16	S3 and @rlad<"20000609"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	BRS	111	S5 S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	BRS	40	257/599	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	IS&R	71	(257/599).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	IS&R	0	( "009not3" ).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
11	BRS	66	S9 not S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	BRS	35	S11 and @ad<"20000609"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	BRS	6	S11 and @rlad<"20000609"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	BRS	35	S12 S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	IS&R	197	(257/595).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
16	BRS	180	S15 not S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
17	BRS	173	S16 not S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
18	BRS	107	S17 and @ad<"20000609"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
19	BRS	7	S17 and @rlad<"20000609"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
20	BRS	108	S18 S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
21	IS&R	1035	(257/592).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
22	IS&R	0	("021not3").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
23	BRS	1035	S21 not S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
24	BRS	1035	S23 not S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
25	BRS	1035	S23 not S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
26	BRS	1035	S23 not S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
27	BRS	715	S21 and @ad<"20000609"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
28	BRS	66	(varactor or varicap) and buried same epitaxial\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
29	BRS	0	mimimiz\$3 near\$5 (varactor or varicap or (variable near capacit\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
30	BRS	179	minimiz\$3 near\$5 (varactor or varicap or (variable near capacit\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
31	BRS	10	(minimiz\$3 near5 base) same (varactor or varicap or (variable near capacit\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
32	IS&R	0	("(dopedadjpolysilicon)near15(emitterra djregion)").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
33	BRS	216	(doped adj polysilicon) near15 (emitter adj region)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
34	BRS	168	S33 and @ad<"20000609"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
35	BRS	56	S33 and @rlad<"20000609"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
36	IS&R	2	("3,770,519").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB